



INTRODUCING THE ALL-NEW

CELERIO

Perfect Family Car








































Features	Vxi	Zxi	Zxi+
Exteriors			
ORVM with turn indicators	*	J	V
Front Fog Lamps	*	*	$\sqrt{}$
Body Colored ORVM	J	J	$\sqrt{}$
Body Colored Bumper	J	J	J
Body Colored Outside Door handles	$\sqrt{}$	$\sqrt{}$	√
Chrome Accent on Front Grille	V	V	$\sqrt{}$
B Pillar Blackout tape	*	*	V
Full Wheel Cover	V	J	*
15" Alloy Wheels	*	*	V
Interiors			
Co Driver Vanity Mirror with SunVisor	J	J	V
Dr Side Sun Visor with Ticket Holder	√	$\sqrt{}$	$\sqrt{}$
Day Night IRVM	J	J	J
Bottle Holder	6	6	6
Driver Seat Height Adjuster	*	*	J
Front Seat Back Pocket (passenger side)	J	J	$\sqrt{}$
Rear Seat 60:40 Split	J	J	J
Front and Rear Headrest	Integrated	Integrated	Integrated
Rear Parcel Shelf	J	J	J
Comfort and Convenience			
Air Conditioner Manual	<u>√</u>	√	√
Pollen Filter	J	J	V
Engine Push Start Stop with Smart Key	*	*	√
Smartplay Studio	*	*	V
Smartplay Dock	*	J	*
No. of Speakers	*	4	4
Remote Keyless Entry	*	$\sqrt{}$	J
Security System	*	$\sqrt{}$	J
Central Door Locks	J	J	J
Power Window	Fr/Rr	Fr/Rr	Fr/Rr
Power Window-Auto Down(Driver Side)	J	J	J
Outside Mirror	Electrical	Electrical	Electrical
Electrical Foldable ORVM	*	*	V
Steering Mounted Audio Control	*	V	V
Steering Mounted Voice Controls	*	*	V
Power Steering	V	V	√

\neg	Features	Vxi	Zxi	Zxi+
	Central Console & Instrumental Panel			
1	Illumination Color	Amber	Amber	Amber
٦	Tachometer	*	J	V
٦	Urethane Steering Wheel	V	J	V
٦	Tilt Steering	*	J	V
٦	Accessory Socket	J	J	J
1	Dial-Type Climate Control	Silver	Silver	Silver
┪	Fuel Consumption (Instantaneous and Average)	J	J	V
┪	Distance to Empty	J	J	V
┪	Gear Position Indicator	*	*	*
┪	Gear Shift Indicator	J	J	V
	Door Ajar Warning Lamp	V	√	V
	Headlamp Warning	V	J	V
┨	Low Fuel Warning	V	J	V
٦	Key Off/Headlamp On Reminder	V	J	V
٦				
1	Safety and Security			
	Driver Airbag	√_	√	√_
٦	Passenger Airbags	V	<u>√</u>	V
1	Seat Belt Reminder (Driver+Passenger)	V	J	V
١	Speed Sensitive Auto Door Lock	√	<u>√</u>	V
١	Impact Sensing Auto Door Unlock	V	√	√
	Pedestrian Protection	√	√	√
٦	ABS with EBD	√	<u>√</u>	V
٦	Front Seatbelts Pretensioner with Force Limiter	√	√	√
٦	Headlight Leveling	V	√	√
٦	Rear Window Wiper and Washer	*	<u> </u>	√
٦	Front Ventilated Disc Brakes	<u>√</u>	√	√
	Immobiliser	√	√	√
	Child Proof Rear Door Locks	√	√	√
	Rear Defogger	*	√	√
	Speed Alert System	<u>√</u>	√	√
	Reverse Parking Assist Sensors	V	V	V
٦				
	New Technology			
٦	Engine Idle Start Stop	V	J	V
┪	Hill Hold Assist	*	*	*

ı	chnical Details			
Α	B 11110110110	0005		
	Length (mm)	3695		
	Width (mm)	1655		
	Height (mm)	1555		
	Wheelbase (mm)	2435		
В	Engine			
	Engine Type	1.0 K10C		
		with idle		
		start stop		
	Engine Capacity	998		
	Max power Ps	67 ps @		
	•	5500 rpm		
	Max Torque (Nm)	89 @ 3500		
	,	rpm		
	No. of Cyclinder	3		
	Fuel Efficiency (km/Lt)	26.68		
С	Transmission	20.00		
•	Туре	5MT		
D	Brakes	O III I		
_	Front	Disc		
	Back	Drum		
E	Steering	Diam		
-	Steering Type	Electric,		
	Steering Type	Rack and		
		Pinion		
F	Suspension	FIIIIOII		
•	Front	Macphersion		
	Hone	Strut with		
	Door	Coil Springs Torsion Beam		
	Rear			
		with Coil		
•	Othors	Springs		
G	Others	20		
	Fuel Tank Capacity (Itrs)			
	Kerb weight (Kg)	825		
	Seating Capacity	5		
	Boot Space	313 Lt		
	Tyre Size	165/70 R14		
		175/60 R15		

Drive with a mileage of:



km/l Petrol ZXi+ MT

















COLOUR SPECIFICATIONS











'As certified by test agency under rule 115(G) of CMVR 1989.

All variants LXi, VXi, ZXi & ZXi+ are BS VI compliant.

MT: Manual Transmission, AGS: Auto Gear Shift

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and a part or scessory with any product. Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Image used are for illustration purposes only. "The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in vehicle.** Spare wheel material is steel (for all variants) and tyre size is 165/70 R14. ""VDA Method CG MOLDINGS—